




CSCS

Centro Svizzero di Calcolo Scientifico
Swiss National Supercomputing Centre

ETHzürich



CSCS Use Case: EB & Continuous Integration

11th EasyBuild Hackaton

Guilherme Peretti-Pezzi, CSCS

March 25th, 2016

Outline



- Overview of EasyBuild setup @ CSCS
- Proposed workflow for using EB
- Python + MCH use cases
- Jenkins integration
- Final thoughts


Some of the stock EasyBuild toolchains

- ClangGCC: Clang, GCC
- CrayCCE: PrgEnv-cray, fftw
- **CrayGNU: PrgEnv-gnu, fftw**
- CrayIntel: PrgEnv-intel, fftw
- GCC: GCC
- cgmppich: Clang, GCC, MPICH
- cgmvapich2: Clang, GCC, MVAPICH2
- cgompi: Clang, GCC, OpenMPI
- **dummy: (system libs and compilers)**
- **foss: BLACS, FFTW, GCC, OpenBLAS, OpenMPI, ScaLAPACK**
- gcccuda: CUDA, GCC
- **gmvapich2: GCC, MVAPICH2**
- **gmvolff: BLACS, FFTW, GCC, MVAPICH2, OpenBLAS, ScaLAPACK**
- gompic: CUDA, GCC, OpenMPI
- gpsolf: BLACS, FFTW, GCC, OpenBLAS, ScaLAPACK, psmpl
- iccifort: icc, ifort
- ictce: icc, ifort, imkl, impi
- **intel: icc, ifort, imkl, impi**
- iomkl: OpenMPI, icc, ifort, imkl
- iqacml: ACML, BLACS, FFTW, QLogicMPI, ScaLAPACK, icc, ifort


Remarks:

- Full list available with:
 - `eb --list-toolchains`
- GNU = GCC + binutils
- GCCcore = GCC + binutils

EasyBuild setup @ CSCS




New Cray Toolchains @ CSCS




* NEW: only on TDS

Proposed EasyBuild workflow for development (usable by all CSCS)



Proposed EasyBuild workflow for production builds (SCS):



What will happen:

- Build (+dependencies)
- Install
- Create module files
- If successful
 - Commit easyconfig file to CSCS Git repository!
 - Thanks to
 - Jens T. for Git support
 - Pablo E. for helping w/ setup

*Links on the last slide

Python use case

- Supported modules for Python 2 and 3
 - Setuptools 17.1.1, Pip 7.0.3, Nose 1.3.7, Numpy 1.9.2, Scipy 0.15.1, mpi4py 1.3.1, Cython 0.22, Six 1.9.0, Virtualenv 13.0.3, pandas 0.16.2, h5py 2.5.0 (serial/parallel), Matplotlib 1.4.3, pyCuda 2015.1, netcdf4 1.1.8
- Example Easyconfig files (for Python 2.7.10 on Cray)
 - Python-2.7.10-CrayGNU-5.2.40.eb
 - matplotlib-1.4.3-CrayGNU-5.2.40-Python-2.7.10.eb
 - netcdf4-python-1.1.8-CrayGNU-5.2.40-Python-2.7.10.eb
 - h5py-2.5.0-CrayGNU-5.2.40-Python-2.7.10-parallel.eb
 - h5py-2.5.0-CrayGNU-5.2.40-Python-2.7.10-serial.eb
 - pycuda-2015.1-CrayGNU-5.2.40-Python-2.7.10.eb
- Easyblocks
 - h5py.py, netcdf_python.py, pycuda.py

Now available on:

- Daint, Dora, Santis, Brisi (CrayGNU)
- Pilatus, Castor (foss)
- Escha, Kesch (Python2/gmvolf)
- **Monte Leone *new***

MCH CS-Storm use case (gmvolf/2015a)

- Autoconf/2.69
 - Automake/1.15
 - Autotools/20150215
 - binutils/2.25
 - Bison/3.0.3
 - Boost/1.49.0
 - bzip2/1.0.6
 - CDO/1.6.9
 - CMake/3.2.2
 - **Cube/4.3.2**
 - cURL/7.40.0
 - **ddt/5.0(default)**
 - Doxygen/1.8.9.1
 - FFTW/3.3.4
 - flex/2.5.39
 - freetype/2.5.5
 - **GCC/4.8.2**
 - gettext/0.18.2
 - GLib/2.34.3
 - gmvpich2/2015a
 - gmvolf/2015a
 - GSL/1.16
 - HDF/4.2.8
 - HDF5/1.8.15
 - JasPer/1.900.1
 - Java/1.7.0_80
 - libffi/3.0.13
 - libjpeg-turbo/1.4.0
 - libpng/1.6.16
 - libreadline/6.3
 - libtool/2.4.6
 - libxml2/2.9.1
 - M4/1.4.17
 - matplotlib/1.4.3
 - **MVAPICH2/2.0.1_gnu48**
 - NASM/2.11.06
 - NCO/4.5.1
 - ncurses/5.9
 - ncview/2.1.5
 - netCDF/4.3.3.1
 - netCDF-Fortran/4.4.2
 - netcdf-python/1.1.8
 - OPARI2/1.1.4
 - OpenBLAS/0.2.13
 - OTF2/1.5.1
 - Python/2.7.10
 - R/3.1.3
 - Ruby/2.2.2
 - ScaLAPACK/2.0.2
 - **Scalasca/2.2.2**
 - **Score-P/1.4.2**
 - SQLite/3.8.8.1
 - Szip/2.1
 - Tcl/8.6.3
 - UDUNITS/2.1.24
 - zlib/1.2.8
- **Blue**
 - **By JGP**
 - **Green**
 - **By OPS/Cray**

MCH CS-Storm use case - fixing Cray's broken PrgEnv: gcc/4.8.2 lacks Haswell support (-march=native)

◆ Status	▼ Created	◆ Modified	◆ Summary	◆ Resolution
RESOLVED	7/28/2015 12:08:26 AM	9/1/2015 3:32:09 PM	CS-STORM binutils assembler (2.20.51) does not support Haswell assembly instructions	WONTFIX

Comment #15 | 8/4/2015 3:52:05 AM - Nina Suvanphim

Customer has rebuilt his own version of binutils and proves this works correctly:

```
module load gcc
```

```
module load /apps/escha/sandbox/easybuild/modules/all/binutils/2.24
```

```
$ module list
```

```
Currently Loaded Modulefiles:
```

```
1) binutils/2.24 2) gcc/4.8.2
```

```
-bash-4.1$ cd bzip2-1.0.6/
```

```
-bash-4.1$ make
```

```
gcc -march=native -Wall -Winline -O2 -g -D_FILE_OFFSET_BITS=64 -c huffman.c gcc -march=native
```

```
-D_FILE_OFFSET_BITS=64 -c randtable.c
```

Proposed “temporary” workaround: use assembler from cce!

- export PATH=/opt/cray/cce/8.3.10/cray-binutils/x86_64-unknown-linux-gnu/bin:\$PATH (before ‘module load gcc’)

Jenkins


- Jenkins is a tool designed for continuous integration/validation
- But it is much more powerful than that
 - Thousands of plugins are available
 - Can be easily configured to run tasks by ssh anywhere
 - You get logs for all of your executions for free
 - Info about running / past jobs and logs are always accessible through the web interface
- Some usage examples:
 - Development/Integration:
 - Checkout svn/git repositories to automatically build on different platforms
 - Validation
 - Periodically run unit tests
 - Monitoring
 - Periodically run sanity and performance tests (***regression***)
 - Run your favorite script or app
 - Use your creativity (example at CSCS: driving the acceptance of MCH machine)

Jenkins example: Monitoring scratch performance for apps (netcdf5)

Build Time Trend

By lucamar™




Build ↑	Duration	Slave
#2	15 min	master
#3	16 min	master
#4	28 min	master
#5	30 min	master
#6	22 min	master
#7	20 min	master
#8	20 min	master
#9	20 min	master
#10	19 min	master
#11	17 min	master
#12	19 min	master
#13	18 min	master
#14	24 min	master
#15	18 min	master
#16	12 min	master
#17	11 min	master
#18	29 min	master
#19	39 min	master
#20	10 min	master




Jenkins example: Rebuilding all software stack for Escha/Kesch

S	W	Name ↓	Last Success	Last Failure	Last Duration
		RegressionEBKesch	20 hr - #15	N/A	1 hr 49 min 

Build Time Trend

	Build ↑	Duration	Slave
	#11	1 hr 47 min	master
	#13	1 hr 49 min	master
	#15	1 hr 49 min	master



Jenkins + EB integration: workflow example for testing .eb files


- Testing new easyconfig files on all machines where the toolchain is available
- Workflow setup
 1. Create a folder accessible by jenscscs to store the .eb files
 - /path/to/eb-files/
 2. Create a jenkins project adding the target test systems
 - CrayGNU/2015.11 = daint, dora, santis, brisi
 - foss/2015a = castor, pilatus
 3. Add the following commands to the “Execute shell”
 - `source /apps/common/easybuild/setup.sh`
 - `eb -r -f /path/to/eb-files/`
- Usage
 1. Copy .eb files to /path/to/eb-files/
 2. Go to Jenkins and click on “Build now”

Jenkins: Example for testing .eb files

- /apps/common/UES/easybuild/JenkinsCrayGNU/
 - CDO-1.7.1-CrayGNU-2015.11.eb
 - Python-3.5.1-CrayGNU-2015.11.eb

 [brisi](#)  [daint105](#)  [dora105](#)  [santis](#)

- foss/2015a
 - Ghostscript-9.10-foss-2015a.eb
 - HDF5-1.8.15-foss-2015a.eb

 [pilatus](#)  [castor](#)

Jenkins: Example for testing .eb files


- /apps/common/UES/easybuild/JenkinsCrayGNU/

- CDO-1.7.1-CrayGNU-2015.11.eb
- Python-3.5.1-CrayGNU-2015.11.eb



- foss/2015a

- Ghostscript-9.10-foss-2015a.eb
- HDF5-1.8.15-foss-2015a.eb



Red ball = tomato FAIL

Example projects available at <https://jenkins.cscs.ch>

- EasyBuildTest-foss
- EasyBuildTest-CrayGNU

Final thoughts

- Current EB installation is ready for application level
 - Validation with
 - Python use case: Daint, Dora, Santis, Brisi, Pilatus, Castor, Escha/Kesch and **Monte Leone (new)**
 - **Escha/Kesch**: complete software stack built with gmvolf toolchain
- Continuous validation techniques can be easily applied
 - Testing builds across all systems with Jenkins
 - Changes/errors on the PrgEnv can be detected early
 - Weekly builds
- In order to get the most out of EasyBuild
 - We need to have consistent PrgEnv on most systems
 - OK on Cray systems
 - Not currently true on non-Cray
 - Achievable with EasyBuild

Next steps (SCS)

- Use EB for answering tickets requesting new software
 - Can also be used to answer individual user requests
 - Builds that won't be officially supported
 - <https://github.com/eth-cscs/tools/wiki/User-instructions-for-EasyBuild>
- Reduce manual builds as much as possible
 - Taks force being tracked on Github
 - <https://github.com/eth-cscs/tools/issues/4>
- Agree on a deployment procedure
 - Goals:
 - Uniform software stack (move to heterogeneous system)
 - Rebuilds/SO updates shouldn't require human intervention
- Contributing back
 - Open GitHub Pull Requests for new easyconfig files created by CSCS

Links


- Easybuild Documentation
 - GitHub
 - <https://github.com/hpcugent/easybuild>
 - Workflow example (WRF)
 - http://easybuild.readthedocs.org/en/latest/Typical_workflow_example_with_WRF.html
- CSCS Internal doc
 - <https://github.com/eth-cscs/tools/wiki/EasyBuild-at-CSCS>
- Additional easyconfig files repositories
 - Development EasyBuild branch
 - <https://github.com/hpcugent/easybuild-easyconfigs/tree/develop>
 - Successful production builds at CSCS
 - https://github.com/eth-cscs/tools/tree/master/easybuild/ebfiles_repo



CSCS

Centro Svizzero di Calcolo Scientifico
Swiss National Supercomputing Centre

ETH zürich



Thank you for your attention.